## **REPLACEMENT SHEET**






FIG. 2

## **REPLACEMENT SHEET**



Discoverable Device Transmits Either An Inaudible Audio Signal
With A Signature Embedded Therein As An Audio Watermark, Or An
Audible Audio Signal With A Signature Encoded Therein, Where In
Either Case The Transmitted Signal Can Be Encrypted And The
Discoverable Device Can Include A Confirmation Actuator Which
Must Be Activated By A Person Before The Signal Is Transmitted



Discovering Device Transmits A Request For The Network Address
Of The Discoverable Device Via Either An Audible Audio Signal With
The Address Request Encoded Therein, Or An Inaudible Audio
Signal With The Address Request Embedded Therein As An Audio
Watermark

408

Discoverable Device Receives The Request And In Reply Transmits Either An Audible Audio Signal With Its Network Address Encoded Therein, Or An Inaudible Audio Signal With Its Network Address Embedded Therein As An Audio Watermark, Where In Either Case The Reply Signal Can Be Encrypted And The Discoverable Device Can Include A Confirmation Actuator Which Must Be Activated By A Person Before The Reply Signal Is Transmitted

Discovering Device Starts Negotiations For Data Transmission With Discoverable Device Via The Network

FIG. 4

Exit

## **REPLACEMENT SHEET**

